

Brother HL-L8360CDW Imprimante laser couleur WiFi

Marque : Brother Code produit: HL-L8360CDW

Nom du produit : HL-L8360CDW Imprimante laser

couleur WiFi

Idéale pour les entreprises exigeantes, cette imprimante fiable et performante répondra à tous vos besoins en impression.

Brother HL-L8360CDW Imprimante laser couleur WiFi:

Cette imprimante laser couleur rassemble un jeu de fonctions puissantes incluant un écran tactile couleur, un lecteur de badge NFC intégré pour l'impression mobile et l'authentification par badge, des interfaces filaires et sans fil en standard et une impression sécurisée.

Tant de fonctionnalités et une performance très fiable combinées à la simplicité des procédures de maintenance de routine permettent d'augmenter le temps de disponibilité.





Printing		Network	
Duplex printing mode Print speed (colour, normal quality, A4/US Letter) Colour * Print technology *	Auto 31 ppm ✓ Laser	Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, EAP-FAST, EAP-MD5, EAP- TLS, EAP-TTLS, HTTPS, IPPS, IPSEC, PEAP, SMTP-AUTH, SNMP, SSL/TLS, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP
Duplex printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) * Duplex print speed (black, normal quality, A4/US Letter) Warm-up time Warm-up time (from sleep mode)	2400 x 600 DPI 31 ppm 14 ppm 29 s 29 s	Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS Server, TFTP Client & Server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS Client, SNTP Client, LDAP
Time to first page (black, normal) Time to first page (colour, normal) Secure printing N-up printing Economical printing	15 s 15 s ✓ 2, 4, 9, 16, 25 ✓	Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS Server, TFTP Client & Server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTP Client, LDAP
Features	50000	Web-based management	✓
Maximum duty cycle * Printing colours * Number of print cartridges *	60000 pages per month Black, Cyan, Magenta, Yellow 1	Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Kindle Fire Printing, Mopria Print Service
Page description languages *	PCL 6, PDF 1.7, PostScript 3, XPS	Performance	
Input & output capacity		Internal memory *	512 MB
Total number of input trays * Total input capacity * Total output capacity * Paper input type	1 250 sheets 150 sheets Cassette, Paper tray	Maximum internal memory Memory slots Card reader integrated Built-in processor	512 MB 1 •
	, - 1 7	Duncin processor	•

Louis Constant consists		Df	
Input & output capacity		Performance	000 MH-
Auto document feeder (ADF) input capacity	50 sheets	Processor frequency	800 MHz
Multi-Purpose tray	✓	Coprocessor	√
Maximum number of input trays	4	Coprocessor frequency Sound pressure level (printing)	0.133 GHz 49 dB
Paper handling		, ,, ,,	49 00
Maximum ISO A-series paper size *	A4	Design	P. dana
Paper tray media types *	Plain paper, Recycled paper, Thin paper	Market positioning * Product colour *	Business Grey
Multi-purpose tray media types	Envelopes, Glossy paper, Labels, Plain paper, Recycled paper, Thick	Built-in display * Display	✓ LCD
150 A	paper, Thicker paper, Thin paper	Colour display	✓
ISO A-series sizes (A0A9) * Non-ISO print media sizes	A4, A5, A6 Executive, Folio, Letter, Legal	Display diagonal	6.86 cm (2.7")
Envelopes sizes	C5, Com-10, DL	Touchscreen	✓
Custom media width	76.2 - 215.9 mm	Control type	Touch
Custom media length	127 - 355.6 mm	Certification	Cerner Certified, Citrix Ready
Paper tray media weight	60 - 105 g/m ²	Power	
Auto Document Feeder (ADF) media	60 - 163 g/m²	Power consumption (printing) *	580 W
weight	-	Power consumption (ready)	1.5 W
Duplex media weight	60 - 105 g/m²	Power consumption (standby)	70 W
Ports & interfaces		Power consumption (PowerSave)	340 W
Standard interfaces	Ethernet, USB 2.0, Wireless LAN	Power consumption (off)	0.03 W
Direct printing *	✓	Energy Star Typical Electricity Consumption (TEC)	0.578 kWh/week
USB port *	✓	AC input voltage	120 V
USB 2.0 ports quantity	1	AC input frequency	50 - 60 Hz
Network		System requirements	
Network ready Wi-Fi *	1	Windows operating systems supported	✓
Ethernet LAN *	✓	Operational conditions	
Cabling technology	10/100/1000Base-T(X)	Operating temperature (T-T)	10 - 32 °C
Ethernet LAN data rates	10,100,1000 Mbit/s	Storage temperature (T-T)	0 - 40 °C
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Operating relative humidity (H-H)	20 - 80%
Near Field Communication (NFC)	✓	Storage relative humidity (H-H)	10 - 90%
		Sustainability	
		Sustainability certificates	Blue Angel, ENERGY STAR
		Weight & dimensions	
		Width	441 mm
		Depth	313 mm
		Height	486 mm
		Weight	21.9 kg
		Packaging data	
		Package weight	26.1 kg
		Packaging content	
		Drivers included	✓
		Quick start guide	✓
		Cables included	AC
		Logistics data	
		Harmonized System (HS) code	84433210
		Other features	
			BRAdmin Professional 3, BRAdmin
		Printer management	Light



4977766774215



4977766768795



4977766774192



0012502646426



012502646426



4977766771573

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.