

HP LaserJet Pro MFP M426f series



Impressive speed. Solid security.

Fast print, scan, copy, and fax performance, plus robust, comprehensive security built for how you work. This MFP finishes key tasks faster and guards against threats.¹ Original HP Toner cartridges with JetIntelligence give you more pages.²



HP LaserJet Pro MFP M426fdn



HP LaserJet Pro MFP M426fdw with optional 550-sheet paper tray

Highlights

- 38 ppm
- First page out from sleep/Auto-Off in 8 sec
- Leading duplex print speed of 30 ipm
- 50-sheet ADF with single pass, two-sided scanning; scan speed up to 47 ipm
- HP Auto-On/Auto-Off for low energy consumption
- 7.5 cm colour touchscreen with gesturing and apps
- Scan-to-email, -folder, -cloud, -USB
- LDAP, Private Printing, PIN Printing

Speed through more tasks. Keep data protected.

- Scan digital files directly to email, USB, network folders, and the cloud with preloaded business apps.³
- Breeze through multipage documents with two-sided printing that's the fastest in its class of devices.¹
- Grab pages and go – without waiting around. This MFP wakes up and prints faster than the competition.¹
- Control access to print jobs and help keep printing safe with security features like LDAP authentication, HP JetAdvantage Private Print or optional Job Storage with PIN printing.

Easy management. Efficient printing.

- Easily manage print jobs directly at the MFP – just tap and swipe the 7.6 cm touchscreen.⁴
- Easily print Microsoft® Word and PowerPoint® documents – directly from your USB drive.⁵
- Easily manage devices and settings using HP Web Jetadmin with a suite of essential management features.⁶
- Print using less energy than competitors – enhanced by Original HP Toner cartridges with JetIntelligence.⁷

More. Pages, Performance, and Protection.

- Get the most prints for your money – with Original HP High Yield Black Toner cartridges with JetIntelligence.²
- Count on consistent professional quality at high speeds with precision black toner.
- Help ensure you're getting the authentic HP quality you paid for with innovative anti-fraud technology.
- Print right away with a preinstalled toner cartridge. Replace it with an optional high-yield cartridge.

Stay connected with easy wireless printing options

- Easily print from a variety of smartphones and tablets – generally no setup or apps required.⁸
- Count on wireless direct printing in the office – from mobile devices – without accessing the company network.⁹
- Help workers print with just a touch of their NFC-enabled mobile device to the printer – no network needed.¹⁰
- Easily access, print, and share resources with Ethernet and wireless networking.¹¹



Toner cartridge



USB drive



Low energy



2-sided printing



Mobile printing



Wireless



Ethernet

Product walkaround

HP LaserJet Pro MFP M426fdw shown

1. 50-sheet automatic document feeder (ADF)
2. Flatbed scanner: up to 216 x 297 mm paper
3. Intuitive 7.6 cm colour touchscreen (tilts up)
4. 150-sheet output bin
5. Easy-access USB port
6. Automatic two-sided printing
7. 100-sheet multipurpose tray 1
8. 250-sheet input tray 2
9. Power on/off button
10. Front door release button (access to HP JetIntelligence Toner cartridges)
11. Rear door (provides access to print path)
12. USB port for job storage and private printing
13. Hi-Speed USB 2.0 printing port
14. Ethernet network port
15. Telephone "line out" port
16. Fax "line in" port
17. 1200 MHz processor
18. Dust cover for tray 2 — flips up when A4 is loaded



Series at a glance



Model	HP LaserJet Pro MFP M426fdn	HP LaserJet Pro MFP M426fdw
Product number	F6W14A	F6W15A
Functions	Print, copy, scan, and fax	Print, copy, scan, and fax
Print speed	38 ppm 30 ipm duplex	38 ppm 30 ipm duplex
Automatic duplex printing	Yes	Yes
Single-pass two-sided scanning 50-sheet ADF	Yes	Yes
Standard paper input	100-sheet multipurpose tray 1; 250-sheet tray 2	100-sheet multipurpose tray 1; 250-sheet tray 2
Optional paper input	550-sheet tray 3	550-sheet tray 3
Networking	Built-in 10/100/1000 Ethernet	Built-in 10/100/1000 Ethernet, wireless 802.11b/g/n
Mobile printing capability	HP ePrint, Apple AirPrint, Mopria-certified, Google Cloud Print 2.0	Wireless direct printing, NFC touch-to-print, HP ePrint, Apple AirPrint, Mopria-certified, Google Cloud Print 2.0

Accessories, Supplies and Support

Accessories	D9P29A HP LaserJet Pro 550-sheet Feeder Tray
Supplies	CF226A HP 26A Black Original LaserJet Toner Cartridge 3,100 pages
	CF226X HP 26X High Yield Black Original LaserJet Toner Cartridge 9,000 pages
Service and support	U8TQ9E HP 3 year Next business day LaserJet M426 MFP Hardware Support
	U8TR2E HP 3 year Next business day Exchange LaserJet M426 MFP Service
	U8TR3E HP 3 year Return LaserJet M426 MFP Service
	U8TR4PE HP 1 year Post Warranty Next business day LaserJet M426 MFP Hardware Support
	U8TR5PE HP 1 year Post Warranty Next business day Exchange LaserJet M426 MFP Service
	U8TR6PE HP 1 year Post Warranty Return LaserJet M426 MFP Service

Technical specifications

Model	HP LaserJet Pro MFP M426fdn	HP LaserJet Pro MFP M426fdw
Product number	F6W14A	F6W15A
Functions	Print, copy, scan, fax	
Control panel	7.5 cm (3") touchscreen Colour Graphic Display (CGD)	
Print		
Print technology	Laser	
Print speed ¹	Black (A4, normal): Up to 38 ppm; Black (A4, duplex): Up to 30 ipm	
First page out ²	Black (A4, ready): As fast as 5.6 sec; Black (A4, sleep): As fast as 8.0 sec	
Print resolution	Black (best): HP FastRes 1200; Technology: HP FastRes 1200, HP ProRes 1200, 600 dpi	
Monthly duty cycle	Up to 80,000 pages (A4); Recommended monthly page volume ³ : 750 to 4,000	
Standard print languages	HP PCL 5, HP PCL 6, HP Postscript Level 3 emulation, direct PDF (v1.7) printing, URF, PCLM, P'WG, Native Office	
Fonts and typefaces	84 scalable TrueType fonts	
Print area	Print margins: Top: 5 mm, Bottom: 5 mm, Left: 4 mm, Right: 4 mm; Maximum print area: 215.9 x 355.6 mm	
Duplex printing	Automatic (standard)	
Copy		
Copy speed ⁴	Black (A4): Up to 38 cpm	
Copier specifications	Lighter/Darker; Two sided; ID copy; Optimise Maximum number of copies: Up to 99 copies; Copy resolution: 600 x 600 dpi; Reduce/Enlarge: 25 to 400%	
Scan		
Scan speed ⁵	Normal (A4): Up to 26 ppm/47 ipm (monochrome), up to 21 ppm/30 ipm (colour); Duplex (A4): Up to 47 ipm (monochrome), up to 30 ipm (colour)	
Scanner specifications	Scanner type: Flatbed, ADF Scan technology: Contact Image Sensor (CIS); Scan input modes: For Scan software (included in the box) support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, searchable PDF, RTF, TXT); Front-panel scan, copy, email, fax, or file buttons; HP Scan software; User application via TWAIN or WIA; Twain version: Version 1.9 (legacy OS); Version 2.1 (Windows 7 or higher); Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 297 x 216 mm; Optical scan resolution: Up to 1200 x 1200 dpi	
Scanner Advanced Features	Scan-to-email; Scan-to-Cloud; Scan-to-USB; Scan-to-network folder; LDAP email lookup; One-pass two-sided scanning ADF (50-sheet)	
Recommended monthly scan volume ⁶	750 to 4,000	
Scannable area	Minimum media size (flatbed): 48.8 x 48.8 mm Maximum media size (flatbed): 297 x 216 mm; Minimum media size (ADF): 102 x 152 mm; Maximum media size (ADF): 216 x 355.6 mm	
Bit depth/ Grey scale levels	24-bit / 256	
Digital sending	Standard: Scan-to-email; Scan-to-network folder; Scan-to-Cloud	
Fax		
Fax ⁷	Yes, 33.6 kbps	
Fax specifications	Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers (119 group dials)	
Fax smart software features	Permanent fax memory backup; Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Polling; Junk barrier; Distinctive ring detection; Cover page wizard; Block fax; Billing codes; Save and load; Poll receive; Fax activity reports; Dial prefix setting; Print fax log; Digital Fax Setup Wizard; Fax Setup Wizard; HP Send Fax	
Processor speed	1200 MHz	
Connectivity		
Standard	1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit Ethernet 10/100/1000T network; Easy-access USB	1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit Ethernet 10/100/1000T network; 1 Wireless 802.11b/g/n; Easy-access USB
Wireless	No	Yes, built-in Ethernet, Wi-Fi [Operates as both an AP (with Wi-Fi Direct) and STA]
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0; Mobile apps	HP ePrint; Apple AirPrint™; Mopria™-certified; NFC Touch-to-print; Wireless Direct Printing; Google Cloud Print 2.0; Mobile Apps
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, FTP Print, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download	
Network capabilities	None	
Hard disk	No	
Memory	Standard: 256 MB; Maximum : 256 MB	
Media handling		
Number of paper trays	Standard: 2; Maximum: 3	
Media types	Paper (plain, EcoEFFICIENT, light, heavy, bond, coloured, letterhead, preprinted, prepunched, recycled, rough), envelopes, labels, transparencies	
Media size	Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); Envelope 10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; Custom Size; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; B6 (JIS) ADF: A4; 127 x 127 to 216 x 355.6 mm	
Media handling	Standard input: 100-sheet Tray 1, 250-sheet input Tray 2 Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets	
Media weight	Tray 1: 60 to 175 g/m ² ; Tray 2, optional 550-sheet Tray 3: 60 to 120 g/m ² ; ADF: Tray 1: 60 to 175 g/m ² ; Tray 2, optional 550-sheet Tray 3: 60 to 120 g/m ²	

Model	HP LaserJet Pro MFP M426fdn	HP LaserJet Pro MFP M426fdw
Product number	F6W14A	F6W15A
Input capacity	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with optional 550-sheet tray) ADF: Standard, 50 sheets	
Output capacity	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 75 sheets Maximum: Up to 150 sheets	
Compatible operating systems	Windows OS compatible with In-Box Driver: Windows 10 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 7 all 32 & 64-bit editions, Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows OS compatible with Universal Print Driver (from http://www.HP.com): Windows 10 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 7 all 32 & 64-bit editions, Windows Vista all 32 & 64-bit editions (Home Basic, Premium, Professional, etc.); Mac OS (HP print drivers available from http://www.HP.com and Apple Store): OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Mobile OS (In-OS drivers): iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP auto install): BOSS (3.0, 5.0), DEBIAN (6.0, 6.0.1, 6.0.2, 6.0.3, 6.0.4, 6.0.5, 6.0.6, 6.0.7, 6.0.8, 6.0.9, 6.0.10, 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6), FEDORA (17, 18, 19, 20), LINUX MINT (13, 14, 15, 16, 17), SUSE LINUX (12.2, 12.3, 13.1), UBUNTU (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10); Linux OS (In-OS HPLIP, manual install): MANDRIVA LINUX (2010.0, 2011.0), MEPIS (6.0, 6.5, 7.0, 8.0), PCLINUXOS (2006.0, 2006, 2007.0, 2007, 2008.0, 2008, 2009.0, 2009), RED HAT (8.0, 9.0), RED HAT ENTERPRISE LINUX (5.0, 6.0, 7.0), SLACKWARE LINUX (9.0, 9.1, 10.0, 10.1, 10.2, 11, 12, 12.1), GOS (8.04.1), IGO5(1.0), LINPUS LINUX (9.4, 9.5), LINUX FROM SCRATCH (6); Other OS: UNIX	
Compatible network operating systems	Windows OS compatible with In-Box Driver: Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32 & 64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or product-specific drivers from http://www.HP.com : Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32 & 64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32 & 64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), MS Windows Server 2012 R2 Terminal Services, Citrix XenApp 7.5, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5, MS Windows Server 2012 Terminal Services, Citrix XenApp 7.5, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5, MS Windows Server 2008 R2 SP1 Terminal Services, Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenApp 7.5, Citrix XenDesktop 5.6, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5, MS Windows Server 2008 R2 Terminal Services, Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenDesktop 5.6, MS Windows Server 2008 Terminal Services, Citrix XenApp 5.0, Citrix XenApp 5.0 Feature Pack 2 & 3, MS Windows Server 2003 Terminal Services, Citrix Presentation Server TM 4.5, Citrix Presentation Server 4.0, MS Windows Server 2003 Terminal Services, Citrix Presentation Server 4.5, Citrix Presentation Server 4.0, Citrix MetaFrame® Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2 and 3); Novell Servers (http://www.novell.com/iprint): Novell Open Enterprise Server 11/SP1 /SP2, Novell Open Enterprise Server 2 for Linux, NetWare 6.5/SP8; Novell Clients (http://www.novell.com/iprint): Novell iPrint Client v5.4 for Vista, Win 7 & Win 8 (32 & 64-bit), Novell iPrint Client v5.4 for Win XP (32 & 64-bit)	
Minimum system requirements	Windows: Windows 10 (32 & 64-bit), Windows 8/8.1 (32 & 64-bit), Windows 7 (32 & 64-bit): 1 GHz processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or network port; Windows Vista (32-bit): 1 GHz 32-bit (x86) processor, 1 GB RAM (32-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or network port; Windows Server 2008 (64-bit) (SP1 or greater), Windows Server 2008 R2 (64-bit), Windows Server 2008 R2 (64-bit) (SP1): 1 GHz 64-bit (x64) processor, 2 GB RAM (64-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or network port; Windows Server 2003 (32-bit) (SP1 or greater), Windows Server 2003 R2 (32-bit), Windows Server 2008 (32-bit) (SP1 or greater): 1 GHz 32-bit (x86) processor, 1 GB RAM (32-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or network port; Mac: OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite, Internet, USB, 1 GB available hard disk space, OS compatible hardware (for OS hardware requirements see http://www.apple.com)	
Software included	Windows 7: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, HP Device Toolbox, HP Printer Status and Alerts, HP Product Improvement Study, HP Scan App and Driver, Reconfigure your HP Device, Scan to Email Wizard, Scan to Network Folder Wizard, Warranty and Legal Guide, User Guide; Windows 8+: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Scan App and Driver, Warranty and Legal Guide, User Guide, Reconfigure your HP Device; Windows XP, Windows Vista and associated servers: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Scan App and Driver, Warranty and Legal Guide, User Guide; Mac OS: Welcome Screen (directs users to http://www.HP.com or OS App Source for LaserJet Software)	
Security management	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 & SNMPv2 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization; Firewall and ACL; SNMPv3, 802.1X, Secure Boot	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 & SNMPv2 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization; Firewall and ACL; SNMPv3, 802.1X, Secure Boot, authentication via WEP, WPA/WPA2 Personal, WPA2 Enterprise; Encryption via AES or TKIP
Printer management	Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP Imaging and Printing Security Center; HP Utility (Mac); HP Device Toolbox	
Dimensions and Weight		
Printer dimensions (W x D x H) ⁸	Minimum: 420 x 390 x 323 mm; Maximum: 430 x 634 x 325 mm	
Package dimensions (W x D x H)	497 x 398 x 490 mm	
Printer weight ⁹	12.86 kg	
Package weight	15.5 kg	
Operating environment	Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH	
Storage	Temperature: -20 to 40°C; Humidity: 10 to 90% RH	
Acoustics ¹⁰	Acoustic power emissions: 6.8 B(A) (printing at 38 ppm) Acoustic pressure emissions: 55 dB(A)	
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) Consumption: 583 watts (print/copy), 9.1 watts (ready), 2.7 watts (sleep), 0.7 watts (Auto-On/Auto-Off, via USB connectivity), 0.1 watts (off); Typical Electricity Consumption (TEC)¹¹: 1.432 kWh/Week (Blue Angel), 1.621 kWh/Week (Energy Star); Power supply type: Built-in power supply	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) Consumption: 583 watts (print/copy), 9.1 watts (ready), 2.7 watts (sleep), 0.7 watts (Auto-On/Auto-Off, via USB connectivity), 0.1 watts (off); Typical Electricity Consumption (TEC)¹¹: 1.660 kWh/Week (Blue Angel), 1.847 kWh/Week (Energy Star); Power supply type: Built-in power supply
Energy savings feature technology	Instant-on Technology; HP Auto-On/Auto-Off Technology	
Certifications	CISPR 22:2008/EN 55022:2010 (Class B); EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010 ENERGY STAR® qualified; EPEAT® Silver Blue Angel Compliant: No; Please refer to the ECI document	CISPR 22:2008/EN 55022:2010 (Class B); EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010 ENERGY STAR® qualified; EPEAT® Silver Blue Angel Compliant: Yes; Blue Angel RAL-UZ 205
What's in the box ¹²	HP LaserJet Pro MFP M426fdn; Preinstalled HP 26A Black LaserJet Toner Cartridge (3,100 pages); Getting Started Guide; Setup poster; Support flyer; Warranty guide; Printer documentation and software on CD-ROM; Power cord; Phone cord; Built-in duplex; Built-in fax	HP LaserJet Pro MFP M426fdw; Preinstalled HP 26A Black LaserJet Toner Cartridge (3,100 pages); Getting Started Guide; Setup poster; Support flyer; Warranty guide; Printer documentation and software on CD-ROM; Power cord; Phone cord; USB cable; Built-in duplex; Built-in fax
Warranty	One-year warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.	

Footnotes

- ¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see <http://www.hp.com/go/ljclaims>.
- ² Based on cartridge yields for HP 80X compared with HP 26X Original HP LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>.
- ³ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see <http://www.hpconnected.com>.
- ⁴ Requires a wireless access point and an Internet connection to the printer. Services require registration. App availability varies by country, language, and agreements and requires a firmware upgrade. For details, visit <http://www.hpconnected.com>.
- ⁵ Microsoft and PowerPoint are U.S. registered trademarks of the Microsoft group of companies. Feature works with Microsoft Word and PowerPoint 2003 and later. Only Latin language fonts are supported.
- ⁶ HP Web Jetadmin is free and available for download at <http://www.hp.com/go/webjetadmin>.
- ⁷ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov of top three leading competitors as of 8/2015. Actual results may vary. For details, see <http://www.hp.com/go/ljclaims>.
- ⁸ Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>.
- ⁹ Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Learn more at <http://www.hp.com/go/businessmobileprinting>.
- ¹⁰ Feature available only for the HP LaserJet Pro MFP M426fdw. Requires a compatible NFC-printing-enabled mobile device. For a list of compatible NFC-printing-enabled mobile devices, see <http://www.hp.com/go/nfcprinting>.
- ¹¹ Feature available only for the HP LaserJet Pro MFP M426fdw. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Measured using ISO/IEC 17629, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the input voltage, system configuration, software application, driver, and document complexity.
- ³ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ⁴ First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁶ HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.
- ⁷ Based on standard ITU-T test image at standard resolution. More complicated pages or higher resolution will increase the transmission time.
- ⁸ Without optional 550-sheet tray. Dimensions with optional 550-sheet tray: 420 x 390 x 452 mm.
- ⁹ With 26A cartridge (F6W14A, F6W15A) or 26X cartridge (F6W17A).
- ¹⁰ Configuration tested: base model, simplex printing, A4 paper at an average of 38 ppm, active scan at 26 ppm.
- ¹¹ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- ¹² Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsupplies>.



www.blauer-engel.de/uz205



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

