Canon

Canon i-SENSYS MF754Cdw Laser A4 1200 x 1200 DPI 33 ppm Wi-Fi

Brand : Canon Product family: i-SENSYS Product code: 5455C021

Product name: MF754Cdw

Print, copy, Scan, Fax, 33ppm, A4, 1024MB, LAN, USB, WiFi, LCD
Canon i-SENSYS MF754Cdw. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Colour faxing. Duplex functions: Copy. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Black, White

Printing		Paper handling	
Print technology * Printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) * Warm-up time Time to first page (black, normal) Time to first page (colour, normal)	Laser Colour printing 1200 x 1200 DPI 33 ppm 14 s 7.1 s 7.1 s	Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) Non-ISO print media sizes Envelopes sizes Ports & interfaces	Coated paper, Envelopes, Heavy paper, Labels, Plain paper, Postcard, Recycled paper, Thin paper A4, A5, A6 B5 Legal, Letter, Oficio, Statement C5, Com-10, DL, Monarch
Secure printing	✓	USB port	✓
Copying		USB 2.0 ports quantity	1
Duplex copying *	✓	Network	
Duplex copying mode Copying * Maximum copy resolution * Maximum number of copies Copier resize N-in-1 copy function N-in-1 copy function (N=)	Auto Colour copying 600 x 600 DPI 999 copies 25 - 400% ✓ 2, 4	Wi-Fi * Ethernet LAN * Cabling technology Ethernet LAN data rates Wi-Fi standards Mobile printing technologies	10/100/1000Base-T(X) 10,100,1000 Mbit/s 802.11b, 802.11g, Wi-Fi 4 (802.11n) Apple AirPrint, Canon PRINT Business, Mopria Print Service
ID-card copy function	<u>-</u> , . ✓	Performance	240250, 1.10p.1.4 1 1 1 1 2 5 1 1 1 5 5
Scanning			1024 MB
•	Colour acapains	Internal memory * Built-in processor	1024 MB ✓
Optical scanning resolution * Scanner type * Scan to Input colour depth	Colour scanning 600 x 600 DPI ADF scanner Cloud, E-mail, FTP, PC, USB 24 bit 24 bit	Processor frequency Sound pressure level (printing) Sound pressure level (duplex printing) Sound power level (standby)	1200 MHz 51 dB 51 dB 29 dB
Greyscale levels	256	Design	
Fax Faxing * Fax transmission speed Modem speed	ICA, TWAIN, WIA Colour faxing 3 sec/page 33.6 Kbit/s	Product colour * Market positioning * Built-in display * Display Control type	Black, White Business ✓ LCD Touch
Fax memory	512 pages		. 325
Speed dialling	✓	Power	1200 W
Features		Power consumption (max) Power consumption (printing)	1380 W 700 W
Recommended duty cycle Maximum duty cycle * Duplex functions * Printing colours * Page description languages	750 - 4000 pages per month 50000 pages per month Copy Black, Cyan, Magenta, Yellow PCL 5c, PCL 6, PostScript, UFRII	Power consumption (standby) Power consumption (sleep) Energy Star Typical Electricity Consumption (TEC) AC input voltage	24 W 1 W 0.3 kWh/week 220 - 240 V
i age description languages	rac se, rac o, rosiscripi, ordii	AC input frequency	50 - 60 Hz

Input & output capacity		System requirements	
Total number of input trays * Total input capacity * Total output capacity * Multi-Purpose tray Multi-Purpose tray input capacity Auto document feeder (ADF) Auto document feeder (ADF) input capacity Maximum input capacity Paper handling	1 250 sheets 150 sheets 50 sheets 50 sheets 850 sheets	Windows operating systems supported Mac operating systems supported	Windows 10, Windows 8.1, Windows 11 Mac OS X 10.13 High Sierra, Mac OS X 10.4 Tiger, Mac OS X 11.0 Big Sur, Mac OS X 10.14 Mojave, Mac OS X 10.5 Leopard, Mac OS X 10.15 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.15.3 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.15 S Catalina, Mac OS X 10.9 Mac OS X 10.3 Panther, Mac OS X 10.9 Mavericks
Maximum ISO A-series paper size *	A4	Linux operating systems supported Server operating systems supported	Windows Server 2019, Windows Server 2012 R2, Windows Server 2016, Windows Server 2012
		Operational conditions	
		Operating relative humidity (H-H) Operating temperature (T-T)	20 - 80% 10 - 30 °C
		Weight & dimensions	
		Width Depth Height Weight	425 mm 461 mm 430 mm 23.6 kg



8714574670935

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.