

HP 125A Black Original LaserJet Toner Cartridge

Brand: HP Product code: CB540A

Product name: 125A Black Original LaserJet Toner

Cartridge

- Original HP 125A Toner Cartridges deliver legendary HP print quality.
- 1 Black (~2,200 pages)
- Print high-quality black text and brilliant graphics with Original HP Supplies designed for reliability.
- Reliable printing you can trust
- Ideal for printing professional output in the home office or small business. These Original HP Toner Cartridges deliver consistent, high-quality results.
- Depend on Original HP 125A Toner Cartridges designed specifically for your HP printer.
- Toner cartridge; Recycling guide
- 125A Black Original LaserJet Toner Cartridge

HP 125A Black Original LaserJet Toner Cartridge:

Ideal for printing professional output in the home office or small business. These Original HP Toner Cartridges deliver consistent, high-quality results.

HP 125 LaserJet Printing Supplies get your business noticed. Our latest HP ColorSphere toner brings print-shop quality to your office – vibrant colour, sharp text, realistic photos. Maintain peak productivity with consistent, reliable Original HP.





Compatibility* HP 125 toner cartridges work with: HP GTIN (EAN/UPC) 808736839174 Quantity per pack* 1 pc(s) Other features Cartridge capacity Standard Yield Print technology Laser printing Black toner page yield* 2200 pages Technical details Type* Original Technical details Printing colours* Black Box contents Toner cartridge; Recycling guide Brand compatibility* HP Logistics data Toner cartridge; Recycling guide OEM Code CB540A Pallet dimensions (W x D x H) 1183 x 775 x 1134 mm Total amount of recycled materials used for making 19% Maximum number of stacking arcity (W x D x H) 1183 x 775 x 1134 mm Country of origin Japan Maximum number of stacking arcity (W x D x H) 1183 x 775 x 1134 mm Pullet size (EU) Master (outer) cases per pallet layer (EU) 24 pc(s) Operating temperature (T-T) 10 - 30 °C Stacking number for pallet 4 pc(s) Operating relative humidity (H-H) 20 - 80% Harmonized System (HS) code 84439990 Storage temperature (T-T) <				
Quantity per pack * 1 pc(s) Other features Cartridge capacity Standard Yield Print technology Laser printing Black toner page yield * 2200 pages Technical details Type * Original Technical details Printing colours * Black Box contents Toner cartridge; Recycling guide Brand compatibility * HP Logistics data OEM code CB540A Pallet dimensions (W x D x H) 1183 x 775 x 1134 mm Total amount of recycled materials used for making Japan Maximum number of stacking cartons 40 pc(s) Country of origin Japan Maximum number of stacking cartons 24 pc(s) HP segment Small medium business Maximum number of stacking cartons 40 pc(s) Operating temperature (T-T) 10 - 30 °C Stacking number for pallet 4 pc(s) Operating relative humidity (H-H) 20 - 80% Harmonized System (HS) code 84439990 Storage temperature (T-T) -20 - 40 °C Pallet gross width 112.2 cm Weight & dimensions Pallet gross height 123.3 cm Weight & dimensions 10 pm Pallet gross weight 10	Features		Brand-specific features	
Cattridge capacity Black toner page yield * 2200 pages Type * Original Printing colours * Black Brand compatibility * HP OEM code CB540A Total amount of recycled materials used for making Country of origin HP segment Operational conditions Operationg relative humidity (H-H) Storage relative humidity (H-H) Storage relative humidity (H-H) Storage relative humidity (H-H) Uniform Weight & dimensions Weight Meight Midth Master (outer) cases per pallet Pallet gross weight Pallet gross per pallet layer Pallet gross weight Pallet gross per pallet layer Pallet gross weight Pallet gross per pallet layer Pallet gross weight Pallet gross per pallet layer Pallet gross weight Pallet gross weight Pallet gross weight Pallet gross per pallet layer Pallet gross weight Pallet gross per pallet layer Pallet gross per pallet Pallet gross	Compatibility *	HP 125 toner cartridges work with:	HP GTIN (EAN/UPC)	808736839174
Black toner page yield * 2200 pages Print technology Laser printing Type * Original Technical details Printing colours * Black Box contents Toner cartridge; Recycling guide Brand compatibility * HP Logistics data CDEM code CB540A Pallet dimensions (W x D x H) 1183 x 775 x 1134 mm Total amount of recycled materials used for making Japan Maximum number of stacking cartons 40 pc(s) Country of origin Japan Maximum number of stacking cartons 40 pc(s) HP segment Small medium business Master (outer) cases per pallet layer (EU) 24 pc(s) Operating temperature (T-T) 10 - 30 °C Stacking number for pallet 4 pc(s) Operating relative humidity (H-H) 10 - 90% Harmonized System (HS) code 84439990 Storage relative humidity (H-H) 10 - 90% Pallet gross width 112.2 cm Storage relative humidity (H-H) 10 - 90% Pallet gross height 123.3 cm Weight & dimensions 365 mm Pallet gross weight 203 g Width 100 mm <t< td=""><td></td><td>• • •</td><td>Other features</td><td></td></t<>		• • •	Other features	
Type * Original Fechnical details Printing colours * Black Box contents Toner cartridge; Recycling guide Brand compatibility * HP OEM code CB540A Total amount of recycled materials used for making Country of origin Japan Country of origin Japan HP segment Small medium business Master (outer) cases per pallet layer (EU) Operational conditions Operating temperature (T-T) 10 - 30 °C Stacking number for pallet 4 pc(s) Operating relative humidity (H-H) 20 - 80% Harmonized System (HS) code 84439990 Storage temperature (T-T) - 20 - 40 °C Pallet gross width 112.2 cm Storage relative humidity (H-H) 10 - 90% Pallet gross height 122.3 cm Weight & dimensions Width 365 mm Asser (outer) cases per pallet layer Pallet gross weight (EU) 203 g Depth Layers per pallet (EU) 203 g Master (outer) cases per pallet layer 24 pc(s) Waster (outer) cases per pallet layer 24 pc(s) Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Package width 365 mm Products per pallet (EU) 24 pc(s) Package width 365 mm Products per pallet (EU) 24 pc(s)			Print technology	Laser printing
Printing colours * Black Box contents Toner cartridge; Recycling guide Brand compatibility * HP OEM code CB540A Total amount of recycled materials used for making Country of origin Japan Amazimum number of stacking cartons (BUX D X H) Pallet dimensions (W X D X H) Pallet dimensions (V X D X H) Pallet di	, , ,	Original Black HP	Technical details	
Brand compatibility* BPA OEM code CB540A Pallet dimensions (W x D x H) 1183 x 775 x 1134 mm Total amount of recycled materials used for making used for making SPA Country of origin Japan Pallet size (EU) 1183 x 775 x 1134 mm Assimum number of stacking cartons Pallet layer (EU) 24 pc(s) Operational conditions SPA Operating temperature (T-T) 10 - 30 °C Stacking number for pallet system (HS) code Stacking (EU) Operating relative humidity (H-H) 20 - 80% Pallet gross width 112.2 cm Storage temperature (T-T) - 20 - 40 °C Pallet gross length Storage relative humidity (H-H) 10 - 90% Pallet gross length Storage relative humidity (H-H) 10 - 90% Pallet gross height 123.3 cm Weight & dimensions Pallet weight (EU) 203 g Width 365 mm Pallet weight (EU) 203 g Depth 100 mm Layers per pallet layer 24 pc(s) Weight Goog Master (outer) cases per pallet (EU) 24 pc(s) Weight Goog Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Products per pallet (EU) 216 pc(s) Products per pallet (EU) 216 pc(s)	**			Toner cartridge: Recycling guide
OEM code CB540A Pallet dimensions (W x D x H) 1183 x 775 x 1134 mm Total amount of recycled materials used for making Country of origin Japan Amazimum umber of stacking cartons HP segment Small medium business Master (outer) cases per pallet layer (EU) Operational conditions Operating temperature (T-T) 10 - 30 °C Stacking number for pallet 4 pc(s) Operating relative humidity (H-H) 20 - 80% Harmonized System (HS) code 84439990 Storage temperature (T-T) - 20 - 40 °C Pallet gross width 112.2 cm Storage relative humidity (H-H) 10 - 90% Pallet gross length 93.8 cm Weight & dimensions Weight & dimensions Width 365 mm Pallet weight (EU) 203 g Depth 100 mm Layers per pallet 100 pc(s) Height Master (outer) cases per pallet layer 24 pc(s) Weight Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Products per pallet (EU) 24 pc(s) Products per pallet (EU) 260 pc(s) Products per pallet (EU) 260 pc(s)	•			Toner caranage, neer can g garde
Total amount of recycled materials used for making Country of origin HP segment Small medium business Maximum number of stacking cartons Master (outer) cases per pallet layer (EU) Operational conditions Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Storage relative humidity (H-H) Overations Weight & dimensions Width Depth Depth Depth Depth Depth Depth Domm Depth Depth Depth Domm Depth Depth Depth Domm Depth Depth Domm Depth Depth Domm Depth Depth Domm Depth Domm Depth Depth Domm Depth Depth Domm Depth Depth Domm Depth Domm Depth Depth Depth Domm Depth Domm Depth Depth Domm Depth Depth Domm Depth Depth Domm Depth Domm Depth Depth Depth Domm Depth Depth Depth Depth Domm Depth Dep	, .		•	
Country of origin HP segment Small medium business Maximum number of stacking cartons Master (outer) cases per pallet layer (EU) Operational conditions Operating temperature (T-T) Operating relative humidity (H-H) Operating relative humidity (H-H) Operating relative humidity (H-H) Operating temperature (T-T) Operating relative humidity (H-H)	Total amount of recycled materials	100/	,	
Cartons Master (outer) cases per pallet layer (EU) Operational conditions Operating temperature (T-T) 10 - 30 °C Stacking number for pallet 4 pc(s) Operating relative humidity (H-H) 20 - 80% Harmonized System (HS) code 84439990 Storage temperature (T-T) -20 - 40 °C Pallet gross width 112.2 cm Storage relative humidity (H-H) 10 - 90% Pallet gross length 93.8 cm Weight & dimensions Width 365 mm Pallet gross weight 203 g Width 100 mm Layers per pallet 100 pc(s) Height 110 mm Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Package width 365 mm Products per pallet (EU) 216 pc(s)	,	19%	(- /	1183 x 775 x 1134 mm
Master (outer) cases per pallet layer (EU) Operational conditions Operating temperature (T-T) 10 - 30 °C Stacking number for pallet 4 pc(s) Operating relative humidity (H-H) 20 - 80% Harmonized System (HS) code 84439990 Storage temperature (T-T) -20 - 40 °C Pallet gross width 112.2 cm Storage relative humidity (H-H) 10 - 90% Pallet gross length 93.8 cm Weight & dimensions Width 365 mm Pallet weight (EU) 203 g Depth 100 mm Layers per pallet 100 pc(s) Height 110 mm Master (outer) cases per pallet layer 24 pc(s) Weight & 600 g Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Package width 365 mm Products per pallet 216 pc(s) Products per pallet 216 pc(s)	, ,	• •		40 pc(s)
Operating relative humidity (H-H) 20 - 80% Harmonized System (HS) code 84439990 Storage temperature (T-T) -20 - 40 °C Pallet gross width 112.2 cm Storage relative humidity (H-H) 10 - 90% Pallet gross length 93.8 cm Weight & dimensions Pallet gross weight 123.3 cm Pallet gross weight 203 g Width 365 mm Pallet weight (EU) 203 g Depth 100 mm Layers per pallet 10 pc(s) Height 110 mm Master (outer) cases per pallet layer 24 pc(s) Weight 600 g Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Products per pallet 280 pc(s) Products per pallet 216 pc(s)	Operational conditions	Sitiali illeuluiti busiiless		24 pc(s)
Operating relative humidity (H-H) 20 - 80% Harmonized System (HS) code 84439990 Storage temperature (T-T) -20 - 40 °C Pallet gross width 112.2 cm Storage relative humidity (H-H) 10 - 90% Pallet gross length 93.8 cm Weight & dimensions Pallet gross weight 123.3 cm Pallet gross weight 203 g Width 365 mm Pallet weight (EU) 203 g Depth 100 mm Layers per pallet 10 pc(s) Height 110 mm Master (outer) cases per pallet layer 24 pc(s) Weight 600 g Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Products per pallet 280 pc(s) Products per pallet 216 pc(s)	•	10 - 30 °C	Stacking number for pallet	4 pc(s)
Storage temperature (T-T) -20 - 40 °C Pallet gross width 112.2 cm Storage relative humidity (H-H) 10 - 90% Pallet gross length 93.8 cm Weight & dimensions Pallet gross height 123.3 cm Pallet gross weight 203 g Width 365 mm Pallet weight (EU) 203 g Depth 100 mm Layers per pallet 10 pc(s) Height 110 mm Master (outer) cases per pallet layer 24 pc(s) Weight 600 g Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Products per pallet 280 pc(s) Products per pallet 216 pc(s)			Harmonized System (HS) code	84439990
Storage relative humidity (H-H) 10 - 90% Weight & dimensions Width 365 mm Pallet gross weight 203 g Depth 100 mm Layers per pallet 10 pc(s) Height 110 mm Master (outer) cases per pallet (EU) 24 pc(s) Weight 600 g Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Pallet gross length 93.8 cm Pallet gross length 123.3 cm Pallet gross weight 203 g Pallet weight (EU) 203 g Master (outer) cases per pallet layer 24 pc(s) Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Products per pallet 280 pc(s) Products per pallet 216 pc(s)			Pallet gross width	112.2 cm
Weight & dimensions Pallet gross weight 203 g Width 365 mm Pallet weight (EU) 203 g Depth 100 mm Layers per pallet 10 pc(s) Height 110 mm Master (outer) cases per pallet layer 24 pc(s) Weight 600 g Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Package width 365 mm Products per pallet 216 pc(s)	J , , ,	10 - 90%	Pallet gross length	93.8 cm
Width 365 mm Pallet gross weight 203 g Pallet gross weight (EU) 203 g Depth 100 mm Layers per pallet 10 pc(s) Height 110 mm Master (outer) cases per pallet layer 24 pc(s) Weight 600 g Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Master (outer) cases per pallet 280 pc(s) Package width 365 mm Products per pallet 216 pc(s)	Weight & dimensions		Pallet gross height	123.3 cm
Depth 100 mm Layers per pallet 10 pc(s) Height 110 mm Master (outer) cases per pallet layer 24 pc(s) Weight 600 g Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Package width 365 mm Products per pallet 216 pc(s) Package width 216 pc(s) Package width 216 pc(s) Package width 216 pc(s)	•		Pallet gross weight	203 g
Height 110 mm Master (outer) cases per pallet layer 24 pc(s) Weight 600 g Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Master (outer) cases per pallet (EU) 280 pc(s) Package width 365 mm Products per pallet 216 pc(s)			Pallet weight (EU)	203 g
Weight 600 g Master (outer) cases per pallet (EU) 24 pc(s) Packaging data Master (outer) cases per pallet (EU) 24 pc(s) Package width 365 mm Products per pallet 280 pc(s) Products per pallet 216 pc(s)	•		Layers per pallet	10 pc(s)
Package width Master (outer) cases per pallet (EU) 24 pc(s) Package width Package width Package width Products per pallet 216 pc(s) Products per pallet (EU) 24 pc(s) Products per pallet 216 pc(s)	•		Master (outer) cases per pallet layer	24 pc(s)
Package width 365 mm Products per pallet 216 pc(s)	Weight	600 g	Master (outer) cases per pallet (EU)	24 pc(s)
Products par pallet (FU) 216 pg(s)	Packaging data		Master (outer) cases per pallet	280 pc(s)
Package depth 100 mm Products per pallet (EU) 216 pc(s)	Package width	365 mm	Products per pallet	216 pc(s)
	Package depth	100 mm	Products per pallet (EU)	216 pc(s)
Package height 110 mm	Package height	110 mm		
Package weight 800 g	Package weight	800 g		





















808736839174

0808736839174

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.